



Performance Optimization of Compression Ignition Engines: A Review

O. A. Towoju¹

¹ Mechanical Engineering Department, Faculty of Engineering and Technology, Lead City University, Ibadan, Nigeria

ABSTRACT

A catalyzing factor for the continuous search to optimize the compression ignition engines is the impact it has on the environment. The compression ignition engines find applications in the transportation sector, agriculture, energy, and construction sectors, and the optimization of its performance will thus not be an effort in futility. Many studies have focused on the optimization of the performance of compression ignition engines. The ones of interest reviewed herein can be broadly categorized as combustion chamber geometry studies, fuel studies, and advanced combustion modes studies. The combustion chamber geometry poses an impact on the in-cylinder fluid motion. This influences the combustion process which in-turn affects the engine performance and emission characteristics. The fuel type is also an influencer of the engine performance and emission characteristics drawing its impact from its properties. The combustion mode also poses an impact on the combustion process and can influence the engine performance and its emission characteristics. While it is difficult to pinpoint a particular intervention means that can completely resolve the challenges created by the use of ignition compression engines, the combustion chamber geometry optimization tends to bring along emission reduction and efficiency boost. A combination of the different methods will however, make a huge impact.

Keywords: Advanced Combustion Mode; Combustion Chamber Geometry; Emission; Fuel

History

Received: 02.05.2022

Accepted: 27.06.2022

Author Contacts

*Corresponding Author

e-mail addresses : olumidetowo@yahoo.com

Orcid numbers : 0000-0001-8504-2952

<http://dx.doi.org/10.29228/eng.pers.63291>

1. Introduction

Internal combustion engines have proved their worth. The transportation sector enjoys its development by the invention of these engines that eased movement [1,2]. The transportation sector was not the only sector that was positively impacted by the internal combustion engines. The energy, agriculture, and construction industry also, benefited immensely from the invention [3-4]. It is, therefore, not an understatement to say that the internal combustion engines were in part responsible for globalization. However, the glaring adverse impact of the engines' emissions on the environment when powered with fossil fuel derivatives has continually put them in the spotlight. The emissions from these engines are fingered to be critical contributors to global warming responsible for Climate change [2-7]. Considering the importance of internal combustion engines to humans and the adverse impact it has on the environment, many studies focus on their optimization. The methods of optimizing the performance of the internal combustion engines is based on the following areas; combustion chamber geometry, fuels, injection mode, and advanced combustion modes [4, 8-13]. These interventions contribute to better

fuel efficiency and reduced emissions. This study is, thus, designed to review some of the intervention methods in the optimization of the performance of the internal combustion engine.

Section 2 discusses the impact that the combustion chamber geometry interventions have on the performance and emission characteristics of the Engine. Section 3 discusses the different fuels intervention impact, and section 4 discusses the impact of advanced combustion modes interventions on the performance and emission characteristics of the Engine. The conclusion is presented in section 5.

2. Combustion Chamber Geometry

One of the highly researched means of optimizing the performance of internal combustion engines is through the modification of the combustion chamber geometry [4,9,11-12]. The combustion process in the engine is determined by the in-cylinder fluid motion which is governed by the combustion chamber geometry [14-16]. Studies on the combustion chamber geometry were undertaken to optimized the engine performance because of its effect

on the combustion process which weighs a great impact on physical properties like temperature and pressure. The pressure determines the output power and the temperature influences the combustion products. The pivotal parameters in the formation of emission products in the internal combustion engines are impacted by its combustion chamber geometry and engine speed [14]. The proper mixing of the fuel and air is determined by the swirl motion [17]. While most studies have been conducted using cylindrical shaped pistons, a few have focused on non-cylindrical shaped pistons like the truncated cone [4,9,11]. Some of the performance optimization interventions carried out on the internal combustion engine combustion chamber geometry are spelt out in Table 1. Some of the geometries are shown in Fig. 1.



Figure 1. Selected piston bowl geometry

3. Fuels

Of prominence in the study of engines performance and emission optimization is the consideration of fuels. The properties of the fuels utilized for combustion in engines is a determinant of the engine performance. Properties like density, viscosity, heat content, and Oxygen content pose a great impact on the performance and emission characteristics of an engine [3,23-26]. The viscosity of the fuel affects its delivery and power output, the brake specific fuel consumption is dependent on its heat content, and the brake thermal efficiency shows a correlation with the fuel's Oxygen content [3, 23-26]. The Oxygen content of a fuel also weighs an impact on the emission of particulate matters (PM), Carbon II Oxide (CO), and Oxides of Nitrogen (NO_x) [23].

Table 1. Impact of Combustion Chamber Geometry on Engine Performance

Intervention	Outcome
Toroidal shaped piston bowl	The performance characteristics of internal combustion engines is improved with the use of toroidal shaped piston bowl in comparison to standard piston bowl. The emission from the engines were also found to be reduced in comparison to a standard piston crown except for NO _x emissions [8,14,16,18-20].
Re-entrant piston bowl	The performance characteristics of the engines records a decline as it was also for the emission performance except for the oxides of Nitrogen [14]. Improved performance and increased NO _x emission however, been earlier reported in literature with the use of the re-entrant piston bowl in comparison with cylindrical piston bowl [21].
Hemispherical piston bowl	The engine recorded reduced performance and emission characteristics in comparison to the cylindrical piston bowl except for NO _x emissions where it performed better [8,16]. The performance and emission characteristics of engines using the hemispherical piston bowl fared lesser to that using the toroidal piston bowl except for NO _x emissions [8,14,16,18-20].
Trapezoidal piston bowl	The engine recorded reduced performance and emission characteristics in comparison to the cylindrical piston bowl except for NO _x emissions where it performed better [8,16]. The trapezoidal piston bowl fitted engines recorded the least performance characteristics of the many studied combustion chamber shapes [8, 14,16].
Shallow depth piston bowl	The performance and emission characteristics of the engine is improved with the use of the shallow depth piston bowl except for NO _x emissions [8]
Grooved piston crown	The performance and emission characteristics of the engine was enhanced with the use of tangential grooved piston crown [17,22].
Multi-Chambered piston crown	The use of multi-chambered piston crown led to improvement in performance and emission characteristics of the engine over standard piston crown [23].
Truncated cone piston crown	At optimized cone base angles, the performance and emission characteristics were enhanced with the use of truncated cone piston crown in comparison to standard piston crown [4,9,11].

Table 2. Alternative Fuel Impact on Engine Performance

Intervention	Outcome
Di-Methyl Ether (DME)	Improved engine performance and emission characteristics is witnessed with the use of DME [27,28]
Canola biodiesel	The use of Canola biodiesel as a blend with petroleum diesel at appropriate ratio results in reduced emission of hydrocarbons (HC) smoke, and CO [25,29-30]. Studies have also proven increased brake thermal efficiency for blend ratios B40 and B50 [31], and when it is emulsified [32]..
Jatropha biodiesel	A B30 blend of Jatropha biodiesel with petroleum diesel gives improved engine thermal efficiency at compression ratio values of 17.5:1 and above [33]. The use of appropriate blends of Jatropha biodiesel with petroleum diesel results in increased engine thermal efficiency and reduced NO _x but with attendant increased CO and HC emissions [34-35]
Pongamia biodiesel	In dual fuel mode with liquefied petroleum gas, engine performance and was improved with reduced emission except for HCs [36]. Blends of Pongamia with petroleum diesel results in better emission characteristics except for NO _x , although the engine performance parameters like thermal efficiency and specific fuel consumption showed slight reductions [37-40].
Waste Oil biodiesel	The use of waste oil biodiesel in compression ignition engines results in improved emission characteristics with the exception of NO _x and CO ₂ . [41-43]. The brake thermal efficiency can be improved with the use of waste oil biodiesel in small volumes [44].
Karanja biodiesel	For blend ratios of B20, the engine performance characteristics are comparable to that fueled with petroleum diesel, with an advantage of reduced emissions of CO, HC, and smoke [45-49]. In blends with Diethyl ether, the engine performance parameters like brake thermal efficiency and brake specific fuel consumption can exceed that of petroleum diesel fuel [50].
Palm Oil biodiesel	Palm oil biodiesel blends with petroleum diesel results in improved engine emission characteristics [51-54]
Soybean biodiesel	Increasing the ratio of Soybean biodiesel in its blend with petroleum diesel results in increased NO _x emission, but

	in the reduction of other emission products [26,56-57]. The brake thermal efficiency and specific fuel consumption of an engine can also be improved over that of petroleum diesel with the use of soybean biodiesel blend B20 and B30 [56,58]
--	--

The impacts of the fuel properties on engine performance is huge and hence the reason for conducting studies on it. Many of the interventions on engines with the use of fuels are being done with alternative fuels (biofuels). Synthetic fuels technology is still in the development phase [2], however, Di-Methyl Ether (DME) a type of synthetic fuel has been available for long. Some of the fuels which have been utilized in optimizing performance of engines are spelt out in Table 2.

The study has focused more attention on the use of biodiesels as an alternative fuel because it is the commonly used alternative fuel in compression ignition engines. However, alcohols are also used to reduce engine emissions [59-60].

The use of metallic additives in biodiesels is also gathering momentum among scholars due to the positive results obtained from earlier studies. These metallic additives have been reported to increase the engines performance and reduce emissions based on the stability of blends and heat transfer rate improvement [61-63].

4. Advanced Combustion Modes

The continuous search for an economical and environmental friendly engine brought about the advanced compression ignition engines. These engines evolved along two fronts; the Homogeneous Charged Compression Ignition (HCCI) and the Low Temperature Combustion (LTC). These combustion process types are tailored such as to reduce the emission of toxic pollutants like NO_x and particulates which are major mitigating factors against the use of compression ignition engines. The technology of the use of Exhaust Gas Recirculation (EGR) is also an accepted means of increasing the fuel efficiency and reduction of the emission of toxic wastes from internal combustion engines [64-65]. Some of the interventions which have been undertaken based on advanced combustion modes is as depicted in Table 3.

The study has focused more attention on the use of biodiesels as an alternative fuel because it is the commonly used alternative fuel in compression ignition engines. However, alcohols are also used to reduce engine emissions [59-60].

The use of metallic additives in biodiesels is also gathering momentum among scholars due to the positive results obtained from earlier studies. These metallic additives have been reported to increase the engines performance and reduce emissions based on the stability of blends and heat transfer rate improvement [61-63].

4. Advanced Combustion Modes

The continuous search for an economical and environmental friendly engine brought about the advanced compression ignition engines. These engines evolved along two fronts; the Homogeneous Charged Compression Ignition (HCCI) and the Low Temperature Combustion (LTC). These combustion process types are tailored such as to reduce the emission of toxic pollutants like NO_x and particulates which are major mitigating factors against the use of compression ignition engines. The technology of the use of Ex-

haust Gas Recirculation (EGR) is also an accepted means of increasing the fuel efficiency and reduction of the emission of toxic wastes from internal combustion engines [64-65]. Some of the interventions which have been undertaken based on advanced combustion modes is as depicted in Table 3.

Table 3. Advanced Combustion Mode Impact on Engine Performance

Intervention	Outcome
Homogenous Charge Compression Ignition	Low-load combustion efficiency and high-load limit was improved with the adoption of HCCI process type through temperature stratification [66-67]. Reduction in the amount of NO _x and particulate matters emission is also made possible with the adoption of the HCCI process type [66,68-69]. The use of fuels other than the conventional petroleum fuels is also made possible with the adoption of the HCCI engines a plus for the use of alternative fuels in the face of the dwindling fossil fuels [68]. The HCCI is however, still being taken aback by the effect of rapid pressure rise and combustion timing [65].
Exhaust Gas Recirculation	The brake thermal efficiency can be improved and the NO _x emission levels can be reduced with the use of appropriate volumes of EGR [64,70-71]. Slight increment in the emission of HC and CO is however, to be expected with the use of EGR [70-71].
Reactivity Controlled Compression Ignition	Improved thermal efficiency and reduced NO _x and soot emissions levels are obtained with the use of this intervention [72-74]. It is however, plagued with increased UHC [73], and its increasing susceptibility to knocking [74].
Premixed Charged Compression Ignition	This intervention process is reported to have led to an improvement in engine performance and reduction in the emissions of NO _x and particulates [75-77].

5. Conclusions

The importance of the compression ignition engines to several sectors of countries economy cannot be overemphasized. Also, the adverse impact of its emission products on the environment is a major cause of concern. The positive output of some of the interventions on these engines is a major impetus to do more. Interventions through combustion chamber geometries, fuels, and process types were reviewed in this work. The performance and emission characteristics of compression ignition engines can be improved through these intervention methods. The studies on combustion chamber geometry has proved;

i. Improvement in the performance parameters of the engine like thermal efficiency, brake specific fuel consumption, and brake power except for the re-entrant, hemispherical, and trapezoidal piston bowls.

ii. Emission characteristics of the engine witnessed an improvement

Studies on fuels have generally shown the potentials of reducing the emissions from the engines and this was documented for all the fuel types mention in this study. The brake thermal efficiency of the engine also witnessed improvements with the use of some of the alternative fuels like DME, Canola, Jatropha oil etc.

The studies on process types shows that;

i. NO_x emission is reduced

ii. Thermal efficiency is improved with EGR process, and the HCCI allows the use of alternative fuels.

The impacts of some of these interventions are still steps away from achieving the desired reduction of greenhouse gases from the compression ignition engines. Great hope however, lies with the fuel interventions. The availability of synthetic fuels in commercial quantities will result in Carbon neutral fuels and is much needed to check the dreaded climate change attributable to emissions from the internal combustion engines. While it is difficult to make a straight forward conclusion on the single best intervention method, the combustion chamber geometry optimization brings along improvement in emission reductions and engine power output. Combining the intervention methods will ensure better results.

Acknowledgment

Lead City University is appreciated for providing the enabling environment to carry out this work.

Conflict of Interest Statement

Author declares that there is no conflict of interest in the study.

References

- Serrano, J. R. (2017). Imagining the Future of the Internal Combustion Engine for Ground Transport in the Current Context. *Applied Sciences*, 7(10), 1-5.
- Towoju, O. A. (2021). Fuels for Automobile: The Sustainable Future. *Journal of Energy Research and Reviews*, 7(3), 8-13.
- Towoju, O. A., Jekayinfa, S. O. (2019). Compression Ignition Engine Performance as A Function of the Fuel Properties. *Journal of Engineering Sciences*, 6(1): G1-G5. DOI: 10.21272/jes.2019.6(1).g1
- Towoju, O. A., Dare, A. A. Impact of Conical Piston Crown Equipped Compression Ignition Engine on Performance. *European Journal of Engineering and Technology*. 2018;6(1):13-25.
- Wang N., Tang L., Zhang W., and Guo J. How to Face the Challenges Caused by the Abolishment of Subsidies for Electric Vehicles in China? *Energy* 166: 359–72, 2019. Retrieved from the World Wide Web: <http://dx.doi.org/10.1016/j.energy.2018.10.006>.
- Towoju, O. A., Ishola, F. A. A Case for The Internal Combustion Engine Powered Vehicle. *Energy Reports*. 2020; 6:315-321. DOI.org/10.1016/j.egy.2019.11.082.
- Towoju, O. A. Carbon Footprint Reduction with the Adoption of the Electricity-Powered Vehicles. *International Energy Journal (IEJ)*. 2021;21(1A):101-106.

8. Banapurmath, R., et al. (2014). Performance, Emission Characteristics of Dual Fuel (DF) & Homogeneous Charge Compression Ignition (HCCI) Engines Operated on Compressed Natural Gas (CNG) – Up-page Oil Methyl ester (UOME). *Universal Journal of Renewable Energy*, 2, 32-44.
9. Towoju, O. A., Dare, A. A. Frustum Cone Piston Crown Equipped Compression Ignition Engine Performance Characteristics. *American Journal of Engineering Research (AJER)*, 7(3), 2018, 317-330.
10. Mondal, P. K., Mandal, B. K. A comparative study on the performance and emissions from a CI engine fueled with water emulsified diesel prepared by mechanical homogenization and ultrasonic dispersion method. *Energy Reports*. 2019; 5:639-648. Available: <https://doi.org/10.1016/j.egy.2019.05.006>.
11. Towoju, O. A., Dare, A. A., Fashogbon, S. K. Experimental investigation of the performance and emission characteristics of a CI engine equipped with a modified truncated cone piston crown operated on diesel and shea-butter biodiesel. *European Journal of Engineering Research and Science*. 2018;3(10):126-131. DOI: <http://dx.doi.org/10.24018/ejers.2018.3.10.954>.
12. Yessian, S., Varthanan, P. A. Optimization of Performance and Emission Characteristics of Catalytic Coated IC Engine with Biodiesel Using Grey-Taguchi Method. *Scientific Reports*, (2020) 10:2129. <https://doi.org/10.1038/s41598-019-57129-9>
13. Jafarmadar, S., and Khanbabazadeh, M. (2008). A Computational Study of the Effects of Combustion Chamber Geometries on Combustion Process and Emission in a DI Diesel Engine. *Journal of Fuel and Combustion*, 1(1), 1-16.
14. Mamilla, V. R., Mallikarjun, M., Rao, G. N. (2013). Effect of Combustion Chamber Design on a DI Diesel Engine Fuelled with Jatropha Methyl Esters Blends with Diesel. *International Conference On DESIGN AND MANUFACTURING, IConDM 2013 (479-490)*. India: Elsevier Ltd.
15. Indrodia, A., Chotai, N., and Ramani, B. (2014). Investigation of Different Combustion Chamber Geometry on Diesel Engine using CFD Modelling of In-cylinder Flow for Improving the Performance of Engine. 5th International & 26th All India Manufacturing Technology, Design and Research Conference (AIMTDR 2014), (489-1 - 489-6). Assam.
16. Nataraj, K., Banapurmath, N., Manavendra, G. Y., Vaibhav, K., Satish, G. (2015). Effect of Combustion Chamber Shapes on the Performance of Mahua and Neem Biodiesel Operated Diesel Engines. *Petroleum & Environmental Biotechnology*, 6(4), 1-7.
17. Reddy, C. S., Reddy, C. E., and Reddy, K. H. (2012). Effect of Tangential Grooves on Piston Crown of D.I. Diesel Engine with Blends of Cotton Seed Oil Methyl Ester. *IJRRAS*, 13(1), 150-159.
18. Ranganatha, S. L., Chandrashekar, T., Banapurmath, N., Nashipudi, P. (2014). Effect of Injection Timing, Combustion Chamber Shapes and Nozzle Geometry on the Diesel Engine Performance. *Universal Journal of Petroleum Sciences*, 2, 74-95.
19. Jaichandar, S., Annamalai, K. (2012). Effects of open combustion chamber geometries on the performance of pongamia biodiesel in a DI diesel engine. *Fuel*, 98, 272-279.
20. Jaichander, S., and Annamalai, K. (2012). Performance and Exhaust Emission Analysis on Pongamia Biodiesel with Different Open Combustion Chambers in a DI Diesel Engine. *Journal of Scientific and Industrial Research*, 71, 487-491.
21. Saito T., Daisho U.N., Ikeya N. Effects of combustion chamber geometry on diesel combustion, *Society of Automotive Engineers*, Paper No.: 1986 861186 (1986).
22. Bharathi, V. V., and Prasanthi, G. (2013). The Influence of Air Swirl on Combustion and Emissions in a Diesel Engine. *International Journal of Research in Mechanical Engineering and Technology*, 3(2), 14-16.
23. Parvaneh, Z., Ali, A. Z., and Barat, G. (2017). Comparative Assessment of Performance and Emission Characteristics of Castor, Coconut and Waste Cooking based Biodiesel as fuel in a Diesel Engine. *Energy*, 139, 883-894.
24. Zelimir, D., Blaz, V., Stanislaw, P., and Breda, K. (2009). Influence of Fuel Properties on Engine Characteristics and Tribology Parameters. *Goriva I Maziva*, 48(2), 131-158.
25. Anbarasu, A., & Karthikeyan, A. (2014). Performance and Emission Characteristics of Direct Injection Diesel Engine Running On Canola Oil / Diesel Fuel Blend. *American Journal of Engineering Research*, Vol. 3(8), pp. 202–207.
26. Al-Dawody, M. F., & Bhatti, S. (2014). Effect of Variable Compression Ratio on the Combustion, Performance and Emission Parameters of a Diesel Engine Fuelled with Diesel and Soybean Biodiesel Blending. *World Applied Sciences Journal*, pp. 1852–1858.
27. Towoju, O. A. and Dare, A. Di-Methyl Ether as a Substitute for Diesel Fuel in Compression Ignition Engines. *International Journal of Advanced Research in Engineering and Management*. Vol. 2(5), pp. 39 – 47, 2016.
28. Bakhtyari, A., Rahimpour, M. R. Chapter 10 – Methanol to Dimethyl Ether. *Science and Engineering*, pp. 288-311, 2018. <https://doi.org/10.1016/B978-0-444-63903-5.00010-8>.
29. Can, O., Ozturk, E., and Yusesu, H. S. Combustion and exhaust emissions of canola biodiesel blends in a single cylinder DI diesel engine. *Renewable Energy*, 109(2):73-82, 2017. <https://doi.org/10.1016/j.renene.2017.03.017>.
30. Ge, J. C., Yoon, S. K., and Choi, N. J. Using Canola Oil Biodiesel as an Alternative Fuel in Diesel Engines: A Review. *Appl. Sci.* 2017, 7, 881, pp. 1-19. doi:10.3390/app7090881.
31. Krishna Murthy, K. S. S. and Kotebavi, V. M. Study on performance and emission characteristics of CI engine fueled with canola oil - Diesel blends. *AIP Conference Proceedings* 2200, 020049 (2019); <https://doi.org/10.1063/1.5141219>.
32. Anbarasu, A., and Karthikeyan, A. Diesel engine performance and emission evaluation using Canola biodiesel emulsion fuel. *Australian Journal of Mechanical Engineering*, 14(3), 174-181, 2016.
33. Anandan, M., Sampath, S., and Sudharsan, N. M. (2014). Effect of Compression Ratio and Exhaust Gas Recirculation (EGR) on Combustion, Emission and Performance of DI Diesel Engine with Biodiesel Blends. *Global Journal of Researches in Engineering: A Mechanical and Mechanics Engineering*, 14(7), 1-16.
34. Anandan, M., Sampath, S., and Sudharsan, N. M. (2014). Study of Combustion and Performance Characteristics on a Single Cylinder DI Diesel Engine with Jatropha and Pongamia Methyl Ester Blends. *Global Journal of Researches in Engineering: A Mechanical and Mechanics Engineering*, 14(7), 26-40.
35. Patil, A. R., Desai, A. D., Madavi, A. D., Kamble, S. A. Navale, S. B., Dhutmal, V. U. Comparative study on Effect of Biodiesel on CI Engine Performance and Emission Characteristics. *Materialstoday: Proceedings*, 5(2), Part 1, 2018, Pages 3556-3562. <https://doi.org/10.1016/j.matpr.2017.11.604>.

36. Periyasamy, M., and Vadivel, N. (2015). Experimental Investigation On LPG-Biodiesel (Pongamia) Dual Fueled Engine. *International Journal on Applications in Mechanical and Production Engineering*, 1(3), 3-7.
37. Agarwal, A., Soni, S. L., Sharma, D. K., and Bhaskar, S. K. (2015). Effect of Variation of Compression Ratio and Injection Pressure on the Performance and Emission Characteristics of CI Engine using various Alternative Fuels: A Review. *IJRET: International Journal of Research in Engineering and Technology*, 4(1), 40-45.
38. Arunprasad, S., Iyer, H. J., Omkaar, K., Jayaganth, M., and Palani, K. Performance and Emission Characteristics of C.I Engine using Jatropa and Pongamia Mixed Biodiesel. *IOP Conf. Series: Materials Science and Engineering* 954 (2020) 012029, pp. 1-9, doi:10.1088/1757-899X/954/1/012029.
39. Gopal, K. N. and Karupparaj, R. T. Effect of pongamia biodiesel on emission and combustion characteristics of DI compression ignition engine. *Ain Shams Engineering Journal*, 6(1), pp. 297-305, 2015. <https://doi.org/10.1016/j.asej.2014.10.001>
40. Anand, A., Nithyananda, B. S., and Naveen Prakash, G. V. Performance Analysis of Pongamia Biodiesel as an Alternative Fuel for CI Engine. *Applied Mechanics and Materials*, 895, pp. 139-143, 2019. <https://doi.org/10.4028/www.scientific.net/AMM.895.139>.
41. Yaqoob, H.; Teoh, Y.H.; Sher, F.; Farooq, M.U.; Jamil, M.A.; Kausar, Z.; Sabah, N.U.; Shah, M.F.; Rehman, H.Z.U.; Rehman, A.U. Potential of Waste Cooking Oil Biodiesel as Renewable Fuel in Combustion Engines: A Review. *Energies*, 2021, 14, 2565, pp. 1-20. <https://doi.org/10.3390/en14092565>
42. Guo, J., Peltier, E., Carter, R. E., Krejci, A. J., Stagg-Williams, S. M., and Depcik, C. Waste Cooking Oil Biodiesel Use in Two Off-Road Diesel Engines. *International Scholarly Research Notices*, 2012, 130782 | <https://doi.org/10.5402/2012/130782>.
43. Chiatti, G., Chiavola, O., and Recco, E. Effect of Waste Cooking Oil Biodiesel Blends on Performance and Emissions from a CRDI Diesel Engine, *Improvement Trends for Internal Combustion Engines*, IntechOpen, DOI: 10.5772/intechopen.69740.
44. Das, A. and Ghatak, M. D. An experimental study on Performance of CI engine fueled with waste cooking oil. *IOP Conf. Series: Materials Science and Engineering* 377 (2018) 012199, pp. 1-7. doi:10.1088/1757-899X/377/1/012199.
45. Patel, R. L. and Sankhavara, C. D. Biodiesel production from Karanja oil and its use in diesel engine: A review. *Renewable and Sustainable Energy Reviews*, 71, 2017, pp. 464-474. <https://doi.org/10.1016/j.rser.2016.12.075>.
46. Harne, M. and Pelagade, M. Performance Evaluation of CI Engine using Karanja Biodiesel as an Alternative Fuel. *IJSRST* 3(6), pp. 302-308, 2017.
47. Nagesh, S. N. Combustion, performance and emission characteristics of karanja blended biodiesel in CI engine: effect of CR. *J. Phys.: Conf. Ser.* 1276 012068, 2019.
48. Pandey, K. P. and Amit, I. P. Performance of a CI Engine using Karanja Biodiesel Blend: A Review. *International Research Journal of Engineering and Technology (IRJET)*, 5(10), pp. 1904-1907, 2018.
49. SenthilKumar, R., Prabu, M., and Sukumar, M. Performance, Emission and Combustion Characteristics of a CI engine Using Karanja oil Methyl Ester as a biodiesel with Tyre Pyrolysis Blends. *International Journal of Engineering Science and Innovative Technology (IJESIT)*, 3(4), pp. 837-849, 2014.
50. Das, D., Kumar, A., and Yadav, A. Evaluation of performance, emission and combustion characteristics of a CI engine fueled with karanja biodiesel and diethyl ether blends, *Biofuels*, 9(1), pp. 89-94, 2018. DOI: [10.1080/17597269.2016.1257318](https://doi.org/10.1080/17597269.2016.1257318)
51. Gad, M. S., El-Araby, R., Abed, K. A., El-Ibiari, N. N., El Morsi, A. K., and El-Diwani, G. I. Performance and emissions characteristics of C.I. engine fueled with palm oil/palm oil methyl ester blended with diesel fuel, *Egyptian Journal of Petroleum*, 27(2), pp. 215-219, 2018. <https://doi.org/10.1016/j.ejpe.2017.05.009>.
52. Nahian, Md. R., Islam, Md. N., and Khan, S. Production of Biodiesel from Palm Oil and Performance Test with Diesel in CI Engine. *International Conference on Mechanical, Industrial and Energy Engineering 2016, ICMIEE-PI-160160-2*
53. Kumar, A. N., Kishore, P. S., Raju, K. B., Kasianantham, N., and Bragadeshwaran, A. Engine parameter optimization of palm oil biodiesel as alternate fuel in CI engine. *Environ Sci Pollut Res* 26, 6652–6676 (2019). <https://doi.org/10.1007/s11356-018-04084-z>
54. Sivakrishna, T., Madhu, S., and Sivakumar, K. The effect of palm biodiesel fuel on the performance of automotive four stroke diesel engine. *IOP Conf. Series: Materials Science and Engineering*, 574 (2019) 012015, pp. 1-7.
55. Gupta, R. Performance Analysis of a Diesel Engine using the Soybean Oil based Biodiesel. *Indian Journal of Science and Technology*, 9(36), pp. 1-6, 2016. DOI: 10.17485/ijst/2016/v9i36/102153.
56. Hira, A. and Das, D. Performance and emission evaluation of diesel engine fuelled with biodiesel produced from high free fatty acid crude soyabean oil, *Biofuels*, 7(4), pp. 413-421, 2016. DOI: [10.1080/17597269.2016.1147920](https://doi.org/10.1080/17597269.2016.1147920)
57. Azad A.K., Rasul M.G., Giannangelo B., Ahmed S.F. (2018) Diesel Engine Performance and Emission Study Using Soybean Biodiesel Blends with Fossil Diesel. In: Aloui F., Dincer I. (eds) *Exergy for A Better Environment and Improved Sustainability*, 2, pp. 137-155, 2018. *Green Energy and Technology*. Springer, Cham. https://doi.org/10.1007/978-3-319-62575-1_10
58. Rathi A. and Kaushal R. Experimental Study of a Diesel Engine Using Soybean-Based Biodiesel and Diesel Blends. In: Gupta A., Mongia H., Chandna P., Sachdeva G. (eds) *Advances in IC Engines and Combustion Technology*. NCICEC 2019, 2021. *Lecture Notes in Mechanical Engineering*. Springer, Singapore. https://doi.org/10.1007/978-981-15-5996-9_26
59. Ilves, R., Kuut A. and Olt, J. (2019). Chapter 8 – Ethanol as Internal Combustion Engine Fuel. *Ethanol*, 215-225. <https://doi.org/10.1016/B978-0-12-811458-2.00008-0>
60. Mayank C. J., Mayank J., Sumit S., and Anurag B. (2016). Alcohol as an Alternative Fuel in I.C. Engine: A Review, *International Journal of Engineering and Technical Research (IJETR)*, 4(2), 2454-4698.
61. Bayetero, C. M., Yépez, C. M., Cevallos, I. B., and Rueda, E. H. (2022). Effect of the use of additives in biodiesel blends on the performance and opacity of a diesel engine, *Materials Today: Proceedings*, 49(1), pp. 93-99, <https://doi.org/10.1016/j.matpr.2021.07.478>.
62. Jyothi, U. S., Gopinath, L., and Shankarachary, B. (2019). Effect of oxygenated and metal-based additives on performance, combustion and emission characteristics of Mahua bio-diesel at optimal blend, *AIP Conference Proceedings* 2200, 020029; <https://doi.org/10.1063/1.5141199>

63. Madiwale, S., Karthikeyan, A., and Bhojwani, V. (2017). A Comprehensive Review of Effect of Biodiesel Additives on Properties, Performance, and Emission, IOP Conf. Ser.: Mater. Sci. Eng. 197 012015
64. Kumar, R. N., Sekhar, Y., and Adinarayana, S. (2013). Effects of Compression Ratio and EGR on Performance, Combustion and Emissions of Di Injection Diesel Engine. *International Journal of Applied Science and Engineering*, 11(1), 41-49.
65. Prasad, G. R., Goud, S. C., and Meheswar, D. (2012). Alternative Fuels for HCCI engine technology and recent developments. *International Journal of Advanced Research in Engineering and Applied Science*, 1(2), 1-19.
66. Dec, J. E. (2009). *Advanced Compression-Engines - understanding the in-cylinder process*. The Combustion Institute, 32, 2727-2742.
67. Charalambides, A. G. (2013). Homogenous Charge Compression Ignition (HCCI) Engines. In *Advances in Internal Combustion Engines and Fuel Technologies* (pp. 119-148). Cyprus: Intech.
68. Himmatsinh, R. C., Syham, K. D., Preksha, K., and Vivek, G. T. (2015). A Technical Review of HCCI Combustion in Diesel engine. *IJIRST-International Journal for Innovative Research in Science & Technology*, 1(10), 28-31.
69. Venkatesan, M., Moorthi, N. S., Franco, P. A., Manivannan, A., and Karthikeyan, R. (2015). Hydrous Methanol Fuelled HCCI Engine. *Mechanics and Mechanical Engineering*, 19(1), 31-49.
70. Shehata, M., and Razeq, A. S. (2008). Engine Performance Parameters. *Engineering Research Journal*, 120, M32-M57.
71. Sorathia, H. S., Rahhod, P. P., and Sorathiya, A. S. (2012). "Effects of Exhaust Gas Recirculation (EGR) on NO_x Emission on C.I. Engine" - A Review Study. *International Journal of Advanced Engineering Research and Studies*, 1(3), 223-227.
72. Baškovič, U. Z., Vihar, R., Oprešnik, S. R., Seljak, T., and Katrašnik, T. (2022). RCCI combustion with renewable fuel mix – Tailoring operating parameters to minimize exhaust emissions, *Fuel*, 311(1), pp. 1-13. <https://doi.org/10.1016/j.fuel.2021.122590>.
73. Daiha, I. B., Said, M. A., Abdul Karim, Z. A., and Firmansyah, F. (2018). Strategies and methods of RCCI combustion: A review, AIP Conference Proceedings 2035, 030006 (2018); <https://doi.org/10.1063/1.5075562>
74. Firmansyah, A. A., Heikal, M. R., Abidin, E. Z., and Panchatcharam, N. (2018). Reactivity Controlled Compression Ignition (RCCI) of Gasoline- CNG Mixtures, Intechopen- Improvement Trends for Internal Combustion Engines, DOI: 10.5772/intechopen.72880
75. Alemayehu, G., Firew, D., Nallamothe, R.B., Kang, S.K. (2021). PCCI Combustion for Better Emissions in Diesel Engines. In: Jha, K., Gulati, P., Tripathi, U.K. (eds) *Recent Advances in Sustainable Technologies. Lecture Notes in Mechanical Engineering*. Springer, Singapore. https://doi.org/10.1007/978-981-16-0976-3_17
76. Singh, A. P., Jain, A., and Agarwal, A. K. (2017). Fuel-Injection Strategy for PCCI Engine Fueled by Mineral Diesel and Biodiesel Blends. *Energy Fuels*, 31(8), pp. 8594–8607. <https://doi.org/10.1021/acs.energyfuels.6b03393>.
77. Zhao, Y., Weibo E, Niu, T., and He, J. (2021). Study on Combustion Processes of a Premixed Charge Compression Ignition (PCCI) Engine Fueled with DME/Diesel, *Journal of Physics: Conference Series* 1732 (2021) 012154. doi:10.1088/1742-6596/1732/1/012154.